

FREY'S HATCHERY LTD.

80 Northside Drive, St. Jacobs, Ontario, N0B 2N0 • Tel (519) 664-2291 • Fax (519) 664-3491 • e-mail: info@freyshatchery.com

2018 PRICE LIST – DAY OLD TRUCK DELIVERY

Inspected and Tested Breeder Flocks

DAY OLD MINIMUM TOTAL ORDER IS 5

PLEASE NOTE THAT MINIMUMS ARE REQUIRED TO KEEP POULTRY COMFORTABLE IN TRANSIT

SMALL ORDER CHARGES: - add \$8.00 for each AGE GROUP with a quantity of less than 10
3 Age Groups: - 1) Day Old 2) Started 3) Ready-to-Lay
Quantity for Pricing: - total birds of one BREED (e.g., If ordering 50 WR pullets + 50 WR cockerels, use price for 100)
Shipping Charges: - are extra and subject to HST

CHICKS	PULLETS (Female)				NON-SEXED AS HATCHED				COCKERELS (Male)			
	5-19	20-49	50-99	100	5-19	20-49	50-99	100	5-19	20-49	50-99	100
White Egg Layer Breed												
LEG White Leghorn (white eggs)	3.50	3.00	2.50	2.25	2.70	2.20	1.70	1.45	2.50	2.00	1.50	1.25
Brown Egg Layer Breeds												
RSL Red Sex-Link BSL Black Sex-Link RX Red X CRX Columbian Rock X *	3.50	3.00	2.50	2.25	2.70	2.20	1.70	1.45	2.50	2.00	1.50	1.25
Heritage Breeds												
RIR Rhode Island Red *	3.75	3.25	2.75	2.50	3.05	2.55	2.05	1.80	2.75	2.25	1.75	1.50
BR Barred Plymouth Rock *	3.75	3.25	2.75	2.50	3.05	2.55	2.05	1.80	2.75	2.25	1.75	1.50
NH New Hampshire (Red)	Available non-sexed only				4.40	3.90	3.40	3.15	Available non-sexed only			
LV Layer Variety (our choice of 3 breeds)	3.65	3.15	2.65	2.40	2.95	2.45	1.95	1.70	2.65	2.15	1.65	1.40
HDC Hatch Day Choice (our choice 1 breed)	3.10	2.60	2.10	1.85	2.50	2.00	1.50	1.25	2.25	1.75	1.25	1.00

*80% sexing accuracy guarantee on Barred Rock & Rhode Island Red, 90% on Columbian Rock X, all other breeds 96% (on orders over 30). No sexing accuracy guaranteed for orders less than 30 chicks. DO NOT order Barred Rock, Rhode Island Red or Columbian Rock X if you absolutely cannot have any cockerels.

Slow Growth Meat Breed												
SD Frey's Special Dual Purpose	3.05	2.55	2.05	1.80	2.80	2.30	1.80	1.55	2.70	2.20	1.70	1.45
Fast Growth Meat Breed												
WR White Rock X (Broiler)	2.85	2.35	1.85	1.60	2.85	2.35	1.85	1.60	3.05	2.55	2.05	1.80
TURKEY POULTS												
Available non-sexed only												
		5-19			20-49				50 (MAX.)			
LW Large White		6.30			5.80				5.30			
MW MiniCLASSIC White		6.95			6.45				5.95			
OB Orlopp Bronze		7.95			7.45				6.95			
AG Artisan Gold		8.45			7.95				7.45			
DUCKS												
Available non-sexed only												
		5-19			20-49				50-99			100
MUS White Muscovy Ducklings		4.60			4.10				3.60			3.35
PHEASANTS Minimum order is 10												
Available non-sexed only												
		10-19			20-49				50-99			100
PH Ringneck Pheasants *		4.80			4.30				3.80			3.55

* There is a licence from MNR for keeping pheasants in captivity

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

READY-TO-LAY PULLETS

(18 to 20 weeks old)

SMALL ORDER CHARGES:

Add \$8.00 for orders less than 10 of any one age group

NOTE: You must provide your own containers

“READY-TO-LAY” refers to pullets that are at the maturing stage (age and weight), and will usually start laying within 2 to 4 weeks if proper management and environmental conditions are adhered to.

READY-TO-LAY PULLETS		PULLETS				COCKERELS (Limited availability)	
		2-19	20-49	50-99	100		
RTL-RSL	Red Sex-Link (best egg layer)	12.05	11.55	11.05	10.80	11.05	
RTL-BR	Barred Rock *	} Minimum quantity 6 total of all breeds combined	14.05	13.55	13.05	12.80	13.05
RTL-CRX	Columbian Rock X *						
RTL-BSL	Black Sex-Link *						
RTL-RX	Red X *						

* **Please note** that these breeds mature several weeks slower than the Red Sex-Link and they will not produce as many eggs, even in proper conditions.

All RTL are beak treated at day old to help prevent picking and egg breakage. Beak treatment still allows the hens to “scratch” feed or range. Pullets will have been on 12 hours of light per day when you receive them. Increase ½ to 1 hour per week (in the morning) until you reach 16 hours of light per day. Total hours of light per day and proper nutrition (no scratch or “green scraps”) will bring the pullets into lay. Greens and scratch may be given at a later age, however, if birds have access to these feed sources we recommend a vitamin supplement in the water to prevent a nutritional deficiency. As well, if you plan to allow your pullets access to the outdoors, consider putting a “wormer” medication in the water (1 or 2 application days – available from your feed supplier).

New and used crates are available for purchase. **WE DO NOT RENT OR LEND CRATES.** Green crates are an exclusive colour to Frey’s Hatchery and are NOT SOLD under any circumstances. Frey’s Hatchery cannot allow any of our crates to be used for any other purpose than our Ready-to-Lay deliveries.

Proper Handling Procedures to Prevent Contamination:

Please be aware that all poultry, even chicks, are livestock and should be treated as such. Proper handling procedures will reduce or eliminate the chance of bacterial contamination. A human hand can have hundreds of species and millions of individual bacteria on it, as can poultry. **Wash your hands with soap and water after handling poultry or any equipment that comes in contact with poultry.**

Frey’s Guarantee:

We guarantee 100% live arrival of the quantity ordered. Extras may be included in your order. Orders are accepted subject to conditions incidental to the hatchery business. Our responsibility for loss or damage arising out of incorrect shipment of breeds, sex or numbers, delay or failure of shipment or any other cause is limited to the original price paid. Frey’s Hatchery Ltd. operates under Federal and Provincial government regulations in regards to the operation of a licensed hatchery, animal husbandry practices, and disease control standards. It is understood and agreed that no representation or warranty as to livability, production, freedom from disease, fitness for use, or otherwise, is made by Frey’s Hatchery Ltd.

Delivery:

Day-old poultry have nutrients from the egg, therefore, they DO NOT need food and water until you have them out of the box AND in the proper temperature and conditions. Started and Ready-to-Lay pullets should be picked up by customer as soon as possible after arrival at pick-up point so they can be fed and watered.

Proper Conditions:

The first weeks of life are extremely important for the health of your chicks. This time is critical for their immune system, organ and skeletal growth. Improper conditions such as temperature, litter, and air quality can stunt their proper growth and have irreversible effects. **Use a HI/LO thermometer at the level of the chicks. Have 3-4 inches of litter/bedding** – this holds the heat from the infrared heat lamps (lamps DO NOT heat the air in your pen).

Delivery Dates	Week #	Day Old Chicks	Day Old Turkeys	Day Old Ducks	Day Old Pheasants	Ready-to-lay (18-20 wks)	
						RTL – RSL Red Sex Link	BSL/BR/CPX/RX
April 4	14 Wed	Yes				Yes	
May 2	18 Wed	Yes	Yes	Yes			
May 30	22 Wed	Yes	Yes	Yes	Yes	Yes	
June 26	26 Wed	Yes	Yes	Yes	Yes	Yes	Yes - No RX
Aug. 15	33 Wed	Yes	Yes			Yes	
Sept. 26	39 Wed	Yes				Yes	

Place order 4 weeks in advance for day old's.

Ready-to-lays and started birds are available on a first-come first-serve basis.

Please note that the ready-to-lays and started bird delivery days of the week are subject to change dependent on outside air temperatures and the logistics of arranging delivers.